


PWS#: 104101247**PWS Name:** Warm Springs**Address:** PO Box 1329, Attn Utilities**City, County:** Warm Springs, Jefferson**Phone:** (541) 553-2234 **Fax:** (541) 553-3380

Return address for report

Name: Confederated Tribes of Warm Springs**Address:** PO Box 1329, Attn Utilities**City, State, Zip:** Warm Springs OR, 97761MICROBIOLOGICAL ANALYSIS
Public Water Supplies
Drinking Water Program**UMPQUA Research Company**

738 SE Glenwood Drive

Bend, OR 97702

(541) 312-9454 Fax: (541) 312-9456

email: bendlab@URCmail.net

web: http://ChemLab.cc

ORELAP ID# OR100052

(\$) ORELAP Accredited Analyte

☐ Results do not meet NELAC Standards - see page 2**URC Lab Sample ID# :** B9J3002-01**Sample Collection Date/Time:** 10 / 30 / 2019 9 : 04**Sampled By:** FH**Sample Point:** Hose Bib**Address:** Ex. 6 Personal Privacy (PP)**Sample Type:** Distribution Special**Chlorinated?:** Yes**Free Chlorine:** 1.4 mg/L***If Repeat, Date of initial positive:*****Original Positive URC Sample ID# :****Repeat Location:****LAB USE ONLY****Sample Received Date/Time:** 10 / 30 / 2019 12 : 33**Initials:** Dan Phillips**Temp:** 14.60 °C**Evidence of cooling:** Yes**Analysis Start Date/Time:** 10 / 30 / 2019 15 : 14**Initials:** DEL**ORELAP Method SM 20th Ed.****Coliforms By 9223B - Colilert-18****Test Results:**

Total Coliform (±)

Absent

E. Coli (±)

Absent

Analysis Complete Date/Time:

10 / 31 / 2019 10 : 01

Analyst:

DJP

Reviewed by:

DEL

10/31/2019 10:20:01AM

Dan Phillips, Laboratory Manager

UMPQUA Research Company

Report Date: 10/31/2019**Sample Invalidation:**☐ over 30 hours☐ leak☐ heavy non-coliform growth☐ other

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAC unless otherwise noted. This report shall not be reproduced, except in full, without written consent of the laboratory.

PWS#: 104101247

PWS Name: Warm Springs

Address: PO Box 1329, Attn Utilities

City, County: Warm Springs, Jefferson County

Phone: (541) 553-2234 **Fax:** (541) 553-3380

Return address for report


Name: Confederated Tribes of Warm Springs

Address: PO Box 1329, Attn Utilities

City, State, Zip: Warm Springs OR, 97761



MICROBIOLOGICAL ANALYSIS
Public Water Supplies
Drinking Water Program



UMPQUA Research Company

738 SE Glenwood Drive

Bend, OR 97702

(541) 312-9454 Fax: (541) 312-9456

email: bendlab@URCmail.net

web: <http://ChemLab.cc>

ORELAP ID# OR100052

(*) ORELAP Accredited Analyte

☐ Results do not meet NELAC Standards - see page 2

URC Lab Sample ID# : B9J3002-02

Sample Collection Date/Time: 10 / 30 / 2019 9 : 32

Sampled By: FH

Sample Point: Hose Bib

Address: Ex. 6 Personal Privacy (PP)

Sample Type: Distribution Special

Chlorinated?: Yes

Free Chlorine: 0.6 mg/L

***If Repeat, Date of initial positive:**

***Original Positive URC Sample ID# :**

Repeat Location:

LAB USE ONLY

Sample Received Date/Time: 10 / 30 / 2019 12 : 33

Initials: Dan Phillips

Temp: 14.60 °C

Evidence of cooling: Yes

Analysis Start Date/Time: 10 / 30 / 2019 15 : 14

Initials: DEL

ORELAP Method SM 20th Ed.

Coliforms By 9223B - Colilert-18

Test Results:


Total Coliform (±) Absent

E. Coli (±) Absent

Analysis Complete Date/Time: 10 / 31 / 2019 10 : 01

Analyst: DJP

Reviewed by: DEL 10/31/2019 10:20:01AM


Dan Phillips, Laboratory Manager

UMPQUA Research Company

Report Date: 10/31/2019

Sample Invalidation:

- ☐ over 30 hours
☐ leak
☐ heavy non-coliform growth
☐ other

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAC unless otherwise noted. This report shall not be reproduced, except in full, without written consent of the laboratory.

PWS#: 104101247

PWS Name: Warm Springs

Address: PO Box 1329, Attn Utilities

City, County: Warm Springs, Jefferson County


Phone: (541) 553-2234 **Fax:** (541) 553-3380

Return address for report

Name: Confederated Tribes of Warm Springs

Address: PO Box 1329, Attn Utilities

City, State, Zip: Warm Springs OR, 97761



MICROBIOLOGICAL ANALYSIS
Public Water Supplies
Drinking Water Program

UMPQUA Research Company

738 SE Glenwood Drive

Bend, OR 97702

(541) 312-9454 Fax: (541) 312-9456

email: bendlab@URCmail.net

web: <http://ChemLab.cc>

ORELAP ID# OR100052

(*) ORELAP Accredited Analyte

☐ Results do not meet NELAC Standards - see page 2

URC Lab Sample ID# : B9J3002-03

Sample Collection Date/Time: 10 / 30 / 2019 9 : 42

Sampled By: FH

Sample Point: Faucet

Address:

Ex. 6 Personal Privacy (PP)

Sample Type: Distribution Special

Chlorinated?: Yes

Free Chlorine: 0.3 mg/L

***If Repeat, Date of initial positive:**

***Original Positive URC Sample ID# :**

Repeat Location:

LAB USE ONLY

Sample Received Date/Time: 10 / 30 / 2019 12 : 33

Initials: Dan Phillips

Temp: 14.60 °C

Evidence of cooling: Yes

Analysis Start Date/Time: 10 / 30 / 2019 15 : 14

Initials: DEL

ORELAP Method SM 20th Ed.

Coliforms By 9223B - Colilert-18

Test Results:

Total Coliform (±)

Absent

E. Coli (±)

Absent

Analysis Complete Date/Time: 10 / 31 / 2019 10 : 01

Analyst: DJP

Reviewed by: DEL

10/31/2019 10:20:01AM

Dan Phillips, Laboratory Manager

UMPQUA Research Company

Report Date: 10/31/2019

Sample Invalidation:

- ☐ over 30 hours
☐ leak
☐ heavy non-coliform growth
☐ other

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAC unless otherwise noted. This report shall not be reproduced, except in full, without written consent of the laboratory.

PWS#: 104101247

PWS Name: Warm Springs

Address: PO Box 1329, Attn Utilities

City, County: Warm Springs, Jefferson County


Phone: (541) 553-2234 **Fax:** (541) 553-3380

Return address for report

Name: Confederated Tribes of Warm Springs

Address: PO Box 1329, Attn Utilities

City, State, Zip: Warm Springs OR, 97761



MICROBIOLOGICAL ANALYSIS
Public Water Supplies
Drinking Water Program

UMPQUA Research Company

738 SE Glenwood Drive

Bend, OR 97702

(541) 312-9454 Fax: (541) 312-9456

email: bendlab@URCmail.net

web: <http://ChemLab.cc>

ORELAP ID# OR100052

(*) ORELAP Accredited Analyte

☐ Results do not meet NELAC Standards - see page 2

URC Lab Sample ID# : B9J3002-04

Sample Collection Date/Time: 10 / 30 / 2019 10 : 01

Sampled By: FH

Sample Point: Hose Bib

Address: Ex. 6 Personal Privacy (PP)

Sample Type: Distribution Special

Chlorinated?: Yes

Free Chlorine: 0.8 mg/L

***If Repeat, Date of initial positive:**

***Original Positive URC Sample ID# :**

Repeat Location:

LAB USE ONLY

Sample Received Date/Time: 10 / 30 / 2019 12 : 33

Initials: Dan Phillips

Temp: 14.60 °C

Evidence of cooling: Yes

Analysis Start Date/Time: 10 / 30 / 2019 15 : 14

Initials: DEL

ORELAP Method SM 20th Ed.

Coliforms By 9223B - Colilert-18

Test Results:

Total Coliform (±) Absent

E. Coli (±) Absent

Analysis Complete Date/Time: 10 / 31 / 2019 10 : 01

Analyst: DJP

Reviewed by: DEL 10/31/2019 10:20:01AM

Dan Phillips, Laboratory Manager

UMPQUA Research Company

Report Date: 10/31/2019

Sample Invalidation:

- ☐ over 30 hours
☐ leak
☐ heavy non-coliform growth
☐ other

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAC unless otherwise noted. This report shall not be reproduced, except in full, without written consent of the laboratory.

PWS#: 104101247

PWS Name: Warm Springs

Address: PO Box 1329, Attn Utilities

City, County: Warm Springs, Jefferson County


Phone: (541) 553-2234 **Fax:** (541) 553-3380

Return address for report

Name: Confederated Tribes of Warm Springs

Address: PO Box 1329, Attn Utilities

City, State, Zip: Warm Springs OR, 97761



MICROBIOLOGICAL ANALYSIS
Public Water Supplies
Drinking Water Program

UMPQUA Research Company

738 SE Glenwood Drive

Bend, OR 97702

(541) 312-9454 Fax: (541) 312-9456

email: bendlab@URCmail.net

web: <http://ChemLab.cc>

ORELAP ID# OR100052

(*) ORELAP Accredited Analyte

☐ Results do not meet NELAC Standards - see page 2

URC Lab Sample ID# : B9J3002-05

Sample Collection Date/Time: 10 / 30 / 2019 10 : 16

Sampled By: FH

Sample Point: Hose Bib

Address:

Ex. 6 Personal Privacy (PP)

Sample Type: Distribution Special

Chlorinated?: Yes

Free Chlorine: 0.6 mg/L

***If Repeat, Date of initial positive:**

***Original Positive URC Sample ID# :**

Repeat Location:

LAB USE ONLY

Sample Received Date/Time: 10 / 30 / 2019 12 : 33

Initials: Dan Phillips

Temp: 14.60 °C

Evidence of cooling: Yes

Analysis Start Date/Time: 10 / 30 / 2019 15 : 14

Initials: DEL

ORELAP Method SM 20th Ed.

Coliforms By 9223B - Colilert-18

Test Results:

Total Coliform (±)

Absent

E. Coli (±)

Absent

Analysis Complete Date/Time: 10 / 31 / 2019 10 : 01

Analyst: DJP

Reviewed by: DEL

10/31/2019 10:20:01AM

Dan Phillips, Laboratory Manager

UMPQUA Research Company

Report Date: 10/31/2019

Sample Invalidation:

- ☐ over 30 hours
☐ leak
☐ heavy non-coliform growth
☐ other

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAC unless otherwise noted. This report shall not be reproduced, except in full, without written consent of the laboratory.

PWS#: 104101247

PWS Name: Warm Springs

Address: PO Box 1329, Attn Utilities

City, County: Warm Springs, Jefferson County

Phone: (541) 553-2234 **Fax:** (541) 553-3380

Return address for report


Name: Confederated Tribes of Warm Springs

Address: PO Box 1329, Attn Utilities

City, State, Zip: Warm Springs OR, 97761



MICROBIOLOGICAL ANALYSIS
Public Water Supplies
Drinking Water Program



UMPQUA Research Company

738 SE Glenwood Drive

Bend, OR 97702

(541) 312-9454 Fax: (541) 312-9456

email: bendlab@URCmail.net

web: <http://ChemLab.cc>

ORELAP ID# OR100052

(*) ORELAP Accredited Analyte

☐ Results do not meet NELAC Standards - see page 2

URC Lab Sample ID# : B9J3002-06

Sample Collection Date/Time: 10 / 30 / 2019 10 : 27

Sampled By: FH

Sample Point: Faucet

Address: Ex. 6 Personal Privacy (PP)

Sample Type: Distribution Special

Chlorinated?: Yes

Free Chlorine: 0.6 mg/L

***If Repeat, Date of initial positive:**

***Original Positive URC Sample ID# :**

Repeat Location:

LAB USE ONLY

Sample Received Date/Time: 10 / 30 / 2019 12 : 33

Initials: Dan Phillips

Temp: 14.60 °C

Evidence of cooling: Yes

Analysis Start Date/Time: 10 / 30 / 2019 15 : 14

Initials: DEL

ORELAP Method SM 20th Ed.

Coliforms By 9223B - Colilert-18

Test Results:

Total Coliform (±) Absent

E. Coli (±) Absent

Analysis Complete Date/Time: 10 / 31 / 2019 10 : 01

Analyst: DJP

Reviewed by: DEL 10/31/2019 10:20:01AM

Dan Phillips, Laboratory Manager

UMPQUA Research Company

Report Date: 10/31/2019

Sample Invalidation:

- ☐ over 30 hours
☐ leak
☐ heavy non-coliform growth
☐ other

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAC unless otherwise noted. This report shall not be reproduced, except in full, without written consent of the laboratory.

PWS#: 104101247

PWS Name: Warm Springs

Address: PO Box 1329, Attn Utilities

City, County: Warm Springs, Jefferson


Phone: (541) 553-2234 **Fax:** (541) 553-3380

Return address for report

Name: Confederated Tribes of Warm Springs

Address: PO Box 1329, Attn Utilities

City, State, Zip: Warm Springs OR, 97761



MICROBIOLOGICAL ANALYSIS
Public Water Supplies
Drinking Water Program

UMPQUA Research Company

738 SE Glenwood Drive

Bend, OR 97702

(541) 312-9454 Fax: (541) 312-9456

email: bendlab@URCmail.net

web: <http://ChemLab.cc>

ORELAP ID# OR100052

(*) ORELAP Accredited Analyte

☐ Results do not meet NELAC Standards - see page 2

URC Lab Sample ID# : B9J3002-07

Sample Collection Date/Time: 10 / 30 / 2019 10 : 36

Sampled By: FH

Sample Point: Faucet

Address: Ex. 6 Personal Privacy (PP)

Sample Type: Distribution Special

Chlorinated?: Yes

Free Chlorine: 0.8 mg/L

***If Repeat, Date of initial positive:**

***Original Positive URC Sample ID# :**

Repeat Location:

LAB USE ONLY

Sample Received Date/Time: 10 / 30 / 2019 12 : 33

Initials: Dan Phillips

Temp: 14.60 °C

Evidence of cooling: Yes

Analysis Start Date/Time: 10 / 30 / 2019 15 : 14

Initials: DEL

ORELAP Method SM 20th Ed.

Coliforms By 9223B - Colilert-18

Test Results:

Total Coliform (±) Absent

E. Coli (±) Absent

Analysis Complete Date/Time: 10 / 31 / 2019 10 : 01

Analyst: DJP

Reviewed by: DEL 10/31/2019 10:20:01AM

Dan Phillips, Laboratory Manager

UMPQUA Research Company

Report Date: 10/31/2019

Sample Invalidation:

- ☐ over 30 hours
☐ leak
☐ heavy non-coliform growth
☐ other

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAC unless otherwise noted. This report shall not be reproduced, except in full, without written consent of the laboratory.

PWS#: 104101247

PWS Name: Warm Springs

Address: PO Box 1329, Attn Utilities

City, County: Warm Springs, Jefferson County


Phone: (541) 553-2234 **Fax:** (541) 553-3380

Return address for report

Name: Confederated Tribes of Warm Springs

Address: PO Box 1329, Attn Utilities

City, State, Zip: Warm Springs OR, 97761



MICROBIOLOGICAL ANALYSIS
Public Water Supplies
Drinking Water Program

UMPQUA Research Company

738 SE Glenwood Drive

Bend, OR 97702

(541) 312-9454 Fax: (541) 312-9456

email: bendlab@URCmail.net

web: <http://ChemLab.cc>

ORELAP ID# OR100052

(*) ORELAP Accredited Analyte

☐ Results do not meet NELAC Standards - see page 2

URC Lab Sample ID# : B9J3002-08

Sample Collection Date/Time: 10 / 30 / 2019 10 : 46

Sampled By: FH

Sample Point: Hose Bib

Address:

Ex. 6 Personal Privacy (PP)

Sample Type: Distribution Special

Chlorinated?: Yes

Free Chlorine: 1.0 mg/L

***If Repeat, Date of initial positive:**

***Original Positive URC Sample ID# :**

Repeat Location:

LAB USE ONLY

Sample Received Date/Time: 10 / 30 / 2019 12 : 33

Initials: Dan Phillips

Temp: 14.60 °C

Evidence of cooling: Yes

Analysis Start Date/Time: 10 / 30 / 2019 15 : 14

Initials: DEL

ORELAP Method SM 20th Ed.

Coliforms By 9223B - Colilert-18

Test Results:

Total Coliform (±)

Absent

E. Coli (±)

Absent

Analysis Complete Date/Time: 10 / 31 / 2019 10 : 01

Analyst: DJP

Reviewed by: DEL

10/31/2019 10:20:01AM

Dan Phillips, Laboratory Manager

UMPQUA Research Company

Report Date: 10/31/2019

Sample Invalidation:

- ☐ over 30 hours
☐ leak
☐ heavy non-coliform growth
☐ other

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAC unless otherwise noted. This report shall not be reproduced, except in full, without written consent of the laboratory.

PWS#: 104101247

PWS Name: Warm Springs

Address: PO Box 1329, Attn Utilities

City, County: Warm Springs, Jefferson County


Phone: (541) 553-2234 **Fax:** (541) 553-3380

Return address for report

Name: Confederated Tribes of Warm Springs

Address: PO Box 1329, Attn Utilities

City, State, Zip: Warm Springs OR, 97761



MICROBIOLOGICAL ANALYSIS
Public Water Supplies
Drinking Water Program

UMPQUA Research Company

738 SE Glenwood Drive

Bend, OR 97702

(541) 312-9454 Fax: (541) 312-9456

email: bendlab@URCmail.net

web: <http://ChemLab.cc>

ORELAP ID# OR100052

(*) ORELAP Accredited Analyte

☐ Results do not meet NELAC Standards - see page 2

URC Lab Sample ID# : B9J3002-09

Sample Collection Date/Time: 10 / 30 / 2019 10 : 56

Sampled By: FH

Sample Point: Hose Bib

Address: Ex. 6 Personal Privacy (PP)

Sample Type: Distribution Special

Chlorinated?: Yes

Free Chlorine: 1.2 mg/L

***If Repeat, Date of initial positive:**

***Original Positive URC Sample ID# :**

Repeat Location:

LAB USE ONLY

Sample Received Date/Time: 10 / 30 / 2019 12 : 33

Initials: Dan Phillips

Temp: 14.60 °C

Evidence of cooling: Yes

Analysis Start Date/Time: 10 / 30 / 2019 15 : 14

Initials: DEL

ORELAP Method SM 20th Ed.

Coliforms By 9223B - Colilert-18

Test Results:

Total Coliform (±) Absent

E. Coli (±) Absent

Analysis Complete Date/Time: 10 / 31 / 2019 10 : 01

Analyst: DJP

Reviewed by: DEL 10/31/2019 10:20:01AM

Dan Phillips, Laboratory Manager

UMPQUA Research Company

Report Date: 10/31/2019

Sample Invalidation:

- ☐ over 30 hours
☐ leak
☐ heavy non-coliform growth
☐ other

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAC unless otherwise noted. This report shall not be reproduced, except in full, without written consent of the laboratory.

PWS#: 104101247

PWS Name: Warm Springs

Address: PO Box 1329, Attn Utilities

City, County: Warm Springs, Jefferson County


Phone: (541) 553-2234 **Fax:** (541) 553-3380

Return address for report

Name: Confederated Tribes of Warm Springs

Address: PO Box 1329, Attn Utilities

City, State, Zip: Warm Springs OR, 97761



MICROBIOLOGICAL ANALYSIS
Public Water Supplies
Drinking Water Program

UMPQUA Research Company

738 SE Glenwood Drive

Bend, OR 97702

(541) 312-9454 Fax: (541) 312-9456

email: bendlab@URCmail.net

web: <http://ChemLab.cc>

ORELAP ID# OR100052

(*) ORELAP Accredited Analyte

☐ Results do not meet NELAC Standards - see page 2

URC Lab Sample ID# : B9J3002-10

Sample Collection Date/Time: 10 / 30 / 2019 11 : 10

Sampled By: FH

Sample Point: Faucet

Address: Ex. 6 Personal Privacy (PP)

Sample Type: Distribution Special

Chlorinated?: Yes

Free Chlorine:

***If Repeat, Date of initial positive:**

***Original Positive URC Sample ID# :**

Repeat Location:

LAB USE ONLY

Sample Received Date/Time: 10 / 30 / 2019 12 : 33

Initials: Dan Phillips

Temp: 14.60 °C

Evidence of cooling: Yes

Analysis Start Date/Time: 10 / 30 / 2019 15 : 14

Initials: DEL

ORELAP Method SM 20th Ed.

Coliforms By 9223B - Colilert-18

Test Results:


Total Coliform (±) Absent

E. Coli (±) Absent

Analysis Complete Date/Time: 10 / 31 / 2019 10 : 01

Analyst: DJP

Reviewed by: DEL 10/31/2019 10:20:01AM


Dan Phillips, Laboratory Manager

UMPQUA Research Company

Report Date: 10/31/2019

Sample Invalidation:

- ☐ over 30 hours
☐ leak
☐ heavy non-coliform growth
☐ other

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAC unless otherwise noted. This report shall not be reproduced, except in full, without written consent of the laboratory.